











### QUOTATION




Att:	Cliente	Contact:	Eduardo gutierrez Gilling	Date:
		Mobile:	33-17-09-17-70	REF.#
		Email:	<a href="mailto:hola@lalogilling.com">hola@lalogilling.com</a>	
		Web:	www.taishansports.cn	











### GYMNASTICS EQUIPMENT











Item	Code	Name of Equipment	Pictures	Description	Quantity
<b>Parallel Bars</b>					
1	TQ1001B	Competition Parallel Bars <i>FIG approved</i>		height adjustment 160-210cm by every 5cm. Rail length 350cm, the vertical axis length is 5 cm and the horizontal axis length is 4cm.	1
2	JZ1016	Carbon Fiber Parallel Bar FIG Approved			1
3	TQ2001A	Parallel bars for training		height adjustment 160-210cm by every 5cm, distance between two rails 42-62cm. Rail length 350cm, vertical axis length of 5cm, horizontal axis length of 4cm.	1
4	TQ2002A	Parallel Bars for Juvenile Training		height adjustment 120-160cm by every 5cm, distance between two rails 32-52cm. Rail length 270cm, vertical axis length of 5cm, horizontal axis length of 4cm.	1
5	TQ1001B.05	Rails for Competition Parallel Bars		length 350cm	1
6	TQ2001.05	Rails for Training Parallel Bars		length 270cm	1
7	TQ2003.03	Rails for Children Parallel Bars		length 170cm	1











8	TQ2003	Children parallel bars		height adjustment 95-135cm by every 5cm, distance between two rails 32-52cm. Rail length 170cm and diameter 4cm	1
9	TQ2004	Low parallel bars		height 40cm, distance between two rails 32-52cm. Rail length 270cm, vertical axis length of 5cm, horizontal axis length of 4cm.	1
10	TQ2006	Parallel bars training bag		square bag size 160cm×60cm×100cm. The column and the base are connected by the special fastening device.	1
11	TQ2047	Parallel bars protection bench		Specification: Bench length is 254.5cm, width is 25.5cm Weight: 34kg	1
12	TQ2048A	Parallel bars cart		Specification: 100cm×100cm×20cm Weight: 7.5kg	1










#### Horizontal Bars










13	TQ1002	Competition Horizontal Bar <i>FIG approved</i>		Rail diameter 28mm, length 240 cm. Tension cables are made of 6 mm stainless steel wire with two Clamping bolt. Height is adjustable between 270 cm - 305 cm by every 5cm, with locking system.	1
14	JZ1017	Carbon Fiber Horizontal Bar FIG Approved			1
15	TQ1002.01	Competition Horizontal Bar Rail		Length: 240cm $\phi$ 2.8cm	1
16	TQ2003.03	Children Horizontal Bar Rail		Length: 170cm $\phi$ 4cm	1
17	TQ2007	Multi-function horizontal bar		height adjustment 90-280cm by every 10cm, rail diameter 28mm and length 240cm.	1











18	TQ2054	Horizontal Bar Protection Bench		Specification: The support platform is 100cm long and 45cm wide. Weight: 28kg	1
19	TQ2009A	Counterweight Frame for Competition Horizontal Bar		Specification: The fixed distance of the wire rope is 400cm×550cm; the weight of a single counterweight is not less than 800kg	1
20	TQ2008	Horizontal bar for kids (A)		height adjustment 155-195cm by every 5cm, rail diameter 40mm, length 170cm.	1
21	TQ2008/3	Detachable Children's Horizontal Bar		height adjustment 95-130cm by every 5cm, rail diameter 40mm, length 130cm.	1
22	TQ1006B	Ring Frame <b>FIG approved</b>		1. Height 590 cm, distance between two columns is 316cm and distance between two rings is 50 cm. 2. Made of composite wood material, the rings have a strong hydroscopicity. Height is adjustable between 275cm-300cm, with increment of 5cm.	1
23	JZ1012	Carbon Fiber Rings Flame FIG Approved			1
24	TQ2030	Ring for training		1. Overall height is 590cm, distance between two columns is 316cm, distance between two rings is 50cm. 2. Rings are made of composite wood, moisture absorption, ring height adjustment is 80cm-270cm	1
25	TQ1006.08	Ring Sling and Loop			1
26	TQ2033	Wall gymnastics rings		1. Arm length 180cm, rings distance 50cm 2. Rings are made of composite wood material, strongly hygroscopic. Ring height adjustment scope from the ground is 80cm×270cm	1
27	TQ2032	Gymnastics ring for kids		height adjustment of rings 105-135cm by every 5cm, diameter of rings 160mm.	1

28	TQ2031	Rings and arm strength training apparatus		length 250cm, width 60cm, height 75-125cm.	1
29	TQ2034	Gymnastics rings cross brace trainer		Size 35x18cm	1
30	TQ2052	Ring Protection Bench		1. The support platform: Length is 80cm and width is 50cm 2. With a special adjustable locking handle, it can adjust the height of the support platform quickly and easily	1
31	TQ2023A	Ring Counterweight bracket		Specification: Fixed distance of wire rope 400cmx550cm; weight of single counterweight is not less than 800kg.	1
32	TQ2094	Ring Hook		Specification: Length 180cm, $\phi$ 1.8cm	1
33	TQ1004B	Competition Pommel Horse <i>FIG approved</i>		Horse body: length 160cm, width top 35 cm and bottom 30cm, height 28cm. Body height adjustment 95-125cm by every 5cm. Pommel height is 12cm	1
34	JZ1013	Carbon Fiber Pommel Horse FIG Approved			1
35	TQ1004.02	Pommel Horse Components			1
36	TQ2024	Pommel horse for training		Horse body: length 160cm, width top 35 cm and bottom 30cm, height 28cm. Body height adjustment 95-125cm by every 5cm. Pommel height is 12cm	1
37	TQ2025	Low pommel horse (A)		Horse body: length 160cm, width top 35 cm and bottom 30cm, height 28cm. Pommel height is 12cm. Overall height is 40cm	1






38	TQ2045	Low pommel horse (B)		Horse body: length 160cm,width top 35cm, height 16cm. Body height adjustment 50-60cm by every 5cm.	1
39	TQ2026	Adjustable mushroom trainer		Mushroom head diameter 60cm, lifting height adjustment 50-70cm by every 5cm.	1
40	TQ2027	Single ring mushroom trainer		Mushroom head diameter 60cm, height adjustment 50-70cm by every 5cm. Pommel ring height is 12cm	1
41	TQ2028	Double ring mushroom trainer		Mushroom head diameter 60cm, height adjustment 50-70cm by every 5cm. With 2 pommel rings on it	1
42	TQ2029	Full rotation mushroom trainer		outer diameter 190cm, diameter of mushroom 60cm, height 80cm.	1
43	TQ2050	Mushroom trainer		Mushroom head diameter 100cm, height 40cm.	1
44	TQ2055	Mushrooms Trainer(B)		Mushroom head diameter 60cm, height 45cm.	1
45	TQ2073	Pommel Horse Moving Balance		1. The whole consists of steel plates,easy for moving and appropriate for field without anchor. 2. Weight: 100kg	1
46	TQ2038	Protection Cover for Pommel Horse			1
47	TQ1005B	Competition Vaulting Table <i>FIG approved</i>		Length: 120cm, width: 95cm. The overall lifting height is 115cm-135cm, which can be adjusted with each increment of 5cm.	1










48	TQ2022	Training type vaulting horse		Height adjustment 105-135cm by every 5cm	1
49	TQ2523/1	Sponge Square Package Used for Vaulting Horse		Specification: 130cm×95cm×95cm Weight: 58kg Material: XPE infill.	1
50	TQ2095	Start Marker for Vaulting Table		Specification: 100cm×5cm×5cm Material: Wooden	1
51	TQ2540/1	U Mat		120cm×101cm×22/10.8cm	1
52	TQ2556	U Mat		140cm×120cm×21/5cm	1
53	TQ2005A	Vaulting Folding Board		Specification: 440cm×100cm×2.5cm Material: Composite birch wood, carpet especially for gymnastics; non-skid surface.	1
54	TQ1543	Track		Specification: 2500cm×100cm×2 cm Material: Made of XPE and carpet by heat-sealing.	1
55	TQ2647A	Vaulting Table Base Pad		apply to TQ1005B Specification: 250/120cm×120cm×17cm Material: PVC material cover, eco-friendly XPE infill	1
56	TQ1561	Hand Pad		Specification: 120cm×100cm×3cm Material: Horse leather material cover, XPE inner core.	1
57	TQ2056	Vaulting Table Moving Balance		1. The whole consists of steel plates, easy for moving and appropriate for field without anchor. 2. Weight: 170kg	1











58	TQW0327	Tapeline		Specification: 30m long dip stick specialized for vaulting track	1
59	TQ1010	Springboard Soft <b>FIG approved</b>		length 120cm, width 60cm, height 22cm, 5 springs	1
60	TQ1011	Springboard Hard <b>FIG approved</b>		length 120cm, width 60cm, height 22cm, 8 springs	1
61	TQ1003B	Competition Uneven Bar <b>FIG approved</b>		height adjustment of high bar 230-280cm, low bar 150-200cm, inclination scope 110-185cm. Rail diameter 40mm and length 240cm	1
62	TQ1003.0 1	Uneven Bar Rails		Length 240cm, Diameter $\phi$ 40mm	1
63	TQ2003.0 3	Uneven Bar Rails		Length 170cm, Diameter $\phi$ 40mm	1
64	TQ2010	Uneven bars for training (A)		height adjustment of high bar 205-255cm, low bar 135-185cm, inclination scope 110-185cm. Rail diameter 40mm and length 240cm	1
65	TQ2011	Uneven bars for training (B)		height adjustment of high bar 205-255cm, low bar 135-185cm, inclination scope 110-185cm. Rail diameter 40mm and length 240cm. Unnecessary to be fixed to the ground with cables, suitable for beginners.	1
66	TQ2012	Uneven bars for children		height adjustment of high bar 155-195cm, low bar 95-135cm. Rail diameter 40mm and length 170cm.	1
67	TQ2013	Horizontal Bar Support(A)		height adjustment 145-255cm by every 5cm, rail length 240cm, diameter 40mm.	1











68	TQ2014	Horizontal Bar Support(B)		height 40cm, rail length 240cm, diameter 40mm. Not included the mats	1
69	TQ2015	Elastic handstand rotation for training		1. Bar diameter is 4cm, bar length is 170cm 2. Elastic components is rubber band with XPE wrappig, covered with PVC leather, bonded by velcro, with good overall elasticity. 3. The height of bar is adjustable from 95cm to 135cm, the width of bar and elastics parts can be adjustable	1
70	TQ2049	Uneven Bars Protection Bench		Specification: The platform is 100cm long and 45cm wide. Weight: 30.5kg	1
71	TQ2018A	Standard Uneven Bars Counterweight Bracket			1
72	TQ2016	360° Tossing Bracket		Overall height: 640cm; distance between two columns: 240cm; belt lifting height can be adjusted.	1
73	TQ2756	Bar Protection		Specification: Length 140cm, outer diameter 11cm , inner diameter 5cm.	1
74	TQ2757	Bar U Protection		Specification: Length 140cm, height 10cm, inner diameter 5cm.	1
75	TQ1007B	Competition Balance Beam <i>FIG approved</i>		Beam length 500cm, top width 10cm, heigth 16cm. Overall height adjustment 70-125cm by every 5cm.	1
76	JZ1014	Carbon Fiber Balance Beam FIG Approved			1
77	TQ2017	Balance beam for training		Beam length 500cm, top width 10cm, heigth 16cm. Overall height adjustment 70-125cm by every 5cm.	1













78	TQ2019			Beam length 500cm, top width 10cm, height 16cm. Overall height 40cm.	1
79	TQ2019/1	Low balance beam (B)		Beam length 300cm, top width 10cm, height 16cm. Overall height 40cm.	1
80	TQ2019/2			Beam length 250cm, top width 10cm, height 16cm. Overall height 40cm.	1
81	TQ2051	Training beam		Beam length 500cm, top width 10cm, height 16cm. Overall height 25cm. <i>Beam length could be 250cm/300cm/400cm/500cm, as required</i>	1
82	TQ2021	Soft Pad for Balance Beam		Specification: Widened board length: 250cm, width: 20cm. Material: The top is stuck with high density	1
83	TQ1007B.08 + TQ1007B.09	Balance Beam Protection Cover			1
84	TQ2549	Beam protection mat		120cm×40cm	1
85		Balance Beam Soft Pad		150×100×2cm	1
86		Balance Beam Soft Pad		120*80*2cm	1
87		Balance Beam Soft Pad		100*60×2cm	1













88	TQ2079	Cart for Balance Beam			1
89	TQ1008B-F	Artistic floor FIG approved		Whole size is 1410cm×1410cm, competition area is 1200cm×1200cm	1
90		Artistic Floor Traning Type		Whole size is 1410cm×1410cm, competition area is 1200cm×1200cm	1
91	TQ1008D	Artistic floor FIG approved		The surface size is 1400cm×1400cm, the size of the competition area is 1200cm×1200cm	1
92	TQ1009	Rhythmic floor <b>FIG approved</b>		Total area 1450cm x1450cm, competition zone 1300cm×1300cm. Consists of bottom polywood with damping blocks, surface carpet and high load bearing sponge edge floor	1
93	TQ1170	Aerobics Floor FIG Approved		the overall size is 1200cm×1200cm, the size of single area is 700cm×700cm	1
94	TQ1014	Aerobics Pedals		Trapezoid, 88.5cm in length on the top, 27.5cm in width, 97cm in length in the bottom, 37cm in width, 15cm in overall height. Weight: 5.1kg	1
95	TQ1013	Standard Trampoline <b>FIG Approved</b>		main bed 5.20m × 3.05m x 1.15m, assisted bed 1.85 m × 2.65m x1.15m, with total 118pcs springs Net 4.26m x 2.13m, nylon material Protection mats and landing mats not included	1
96	TQ1564	Upper Protection Mats for Trampoline		Specification: 940cm×305cm×20cm 300cm×200cm×20cm (2pcs) 300cm×40cm×16cm (2pcs) 201cm×57cm×5cm (2pcs) 173cm×57cm×5cm (4pcs, with arc edge) 173cm×57cm×5cm (2pcs) Total area: 20 m <sup>2</sup>	1
97	TQ1556	Landing Mats for Trampoline		Specification: 1320cm×690cm×20cm 200cm×300cm×20cm (8pcs) 200cm×290cm×20cm (2pcs) 200cm×120cm×20cm (2pcs) Total area: 64.4 m <sup>2</sup>	1

98	TQ2546	Pitch Mat		Specification: 150cm×100cm×14cm	1
99	TQ2046	Tumbling Board		The overall size is 1200cm×200cm×20cm .	1
100	TQ2036	Children long trampoline		length 600cm, width 210cm, height 56cm. Customized	1
101	TQ1012	Tumbling track <b>FIG approved</b>		1. Run off area length is 1100 cm 2. Performance area is 2500cm, connected by a 20 independent units 3. Landing Area is 300 cm x 600 cm	1
102	TQ2069	Underground Embedded Parts		Specification: 22cm×22cm×12cm (adjustable with the board)	1
103	TQ2070	Ground Embedded Parts		Specification: 22cm×22cm×8cm	1
104	TQ2077	5 Section Vaulting Box			1
105	TQ2053	7 Section Vaulting Box			1
106	TQ2059	Single Wall Bars		90cm x18cm x280cm	1
107	TQ2084	Double Wall Bar		180cm x18cm x280cm	1

108	TQ2057	Parallel bars handstand		40cmx23cmx13cm, wooden	1
109	TQ2058	Horizontal bar handstand		90cmx23cmx13cm, wooden	1
110	TQ2042	Wooden gymnastics bench		244cmx25cmx25cm.	1
111	TQ2068	Magnesium holder		Weight: 5.5Kg, 0.5x0.5x0.9m	1
112	TQ2067	Magnesium Holder For Feet		Overall Size: 45cmX45cmX5cm Features: surface is spray-painted (sky blue).	1
113	TQ2060	Children's gymnastics combination equipment (A)		Including: 1 set children parallel bar TQ2003 1 set children horizontal bar TQ2008 1set children gymnastics ring TQ2032 1 set children uneven bar TQ2012 4 pieces of landing mat 290cmx145cmx20cm	1
114	TQ2061	Children's gymnastics combination equipment (B)		Including: 1 set children parallel bar TQ2003 1 set children horizontal bar TQ2008 1set children gymnastics ring TQ2032 1 set children uneven bar TQ2012 4 pieces of landing mat 290cmx145cmx20cm	1
115	TQ2081	Children hexagonal trampoline		diameter 160cm, height 43cm.	1
116	TQ2082	Children round trampoline		diameter 156cm, height 43cm.	1
117	TQ2037	Children Square Trampoline		Main framework 130x130cm, overall height 52.5-67cm adjustable, net size 70cmx70cm	1








118	TQ4129	Spring Board Trampoline(B)		Size 120*100cm, height can be adjust from 30-40cm The mesh 80*60cm	1
119	TQ2037A	Mini Trampoline		Size 130*130cm, mesh 65*65cm Height adjust 40*50cm,40-60cm	1
120	TQ2044	Children's springboard		length 76cm, width 57cm, height 16cm, designed for beginners of gymnastics and suitable for children training.	1
121	TQ2041	Children rock climbing		Specifications: 180cm×180cm×100cm Weight: 45kg	1
122	TQ2040	Children crawl net		Specifications: 180cm×180cm×95cm Weight: 60kg	1
123	TQ1504A	Landing Mats for Pommel Horse (competition type)		Specification: 400cm×400cm×10cm Unit size and quantity: 400cm×200cm×10cm (2pcs) Total area: 16 m <sup>2</sup>	1
124	TQ1510B	Landing Mats for Parallel Bars (competition type)		Specification: 1120cm×450cm×20cm 200cm×300cm×20cm (2pcs) 100cm×125cm×20cm (4pcs) 320cm×70cm×20cm (1pcs) 190cm×320cm×20cm (2pcs) 200cm×100cm×20cm (1pcs) Total area: 33.4 m <sup>2</sup>	1
125	TQ1509A	Landing Mats for Parallel Bars (training type)		Specification: 1200cm×600cm×20cm 200cm×400cm×20cm (1pcs) 300cm×190cm×40cm (2pcs, foldable) 220cm×265cm×20cm (2pcs) 247cm×69cm×10cm (1pcs) 212cm×41cm×10cm (1pcs) 200cm×200cm×20cm (1pcs)	1
126	TQ1511A	Landing Mats for Horizontal Bar (competition type)		Specification: 1200cm×300cm×20cm 300cm×200cm×20cm (6pcs) Total area: 36 m <sup>2</sup>	1
127	TQ1502A	Landing Mats for Horizontal Bar (training type)		Specification: 1200cm×200cm×20cm 300cm×200cm×20cm (4pcs) Total area: 24 m <sup>2</sup>	1

128	TQ1514A	Landing Mats for Rings (competition type)		Specification: 500cm×200cm×20cm 300cm×200cm×20cm (1pcs) 200cm×100cm×20cm (2pcs) Total area: 10 m <sup>2</sup>	1
129	TQ1506A	Landing Mats for Rings (training type)		Specification: 600cm×200cm×20cm 300cm×200cm×20cm (1pcs) 200cm×150cm×20cm (2pcs) Total area: 12 m <sup>2</sup>	1
130	TQ1513A	Landing Mats for Vaulting Table (competition type)		Specification: 600cm×250cm×20cm Unit size and quantity: 200cm×250cm×20cm (2pcs) 100cm×250cm×20cm (2pcs) Total area: 15 m <sup>2</sup>	1
131	TQ1505A	Landing Mats for Vaulting Table (training type)		Specification: 800cm×300cm×20cm 300cm×200cm×20cm (4pcs) Total area: 24 m <sup>2</sup>	1
132	TQ1512A	Landing Mats for Uneven Bars (competition type)		Specification: 1400cm×200cm×20cm 300cm×200cm×20cm (4pcs) 200cm×200cm×20cm (1pcs) Total area: 28 m <sup>2</sup>	1
133	TQ1503A	Landing Mats for Uneven Bars (training type)		Specification: 1300cm×200cm×20cm 300cm×200cm×20cm (4pcs) 200cm×100cm×20cm (1pcs) Total area: 26 m <sup>2</sup>	1
134	TQ1515A	Landing Mats for Balance Beam (competition type)		Specification: 1800cm×400cm×20cm 200cm×200cm×20cm (1pcs) 300cm×200cm×20cm (3pcs) 100cm×100cm×20cm (4pcs) 250cm×200cm×20cm (4pcs) 200cm×100cm×20cm (1pcs) Total area: 48 m <sup>2</sup>	1
135		Ballena nivel 3			
136	TQ1507A	Landing Mats for Balance Beam (training type)		Specification: 1700cm×600cm×20cm 200cm×300cm×20cm (7pcs) 300cm×200cm×40cm (2pcs, foldable) Total area: 66 m <sup>2</sup>	1
137		Landing Mats for Balance Beam 5x4 (competition type)			1

138	TQ1525	Supplemental Mat1#		200x200x10cm	1
139	TQ1526	Supplemental Mat2#		200x300x10cm	1
140	TQ1527	Supplemental Mat3#		200x400x10cm	1
141	TQ1528	Supplemental Mat4#		200x500x10cm	1
142	TQ1529	Supplemental Mat5#		200x600x10cm	1
143	TQ2616	Support Block		50cmx50cmx50cm	1
144	TQ2696	Support Block		90cmx70cmx50cm	1
145		Roll Mat		Medida 12.80m x 1.83 x 3.5 cm	1
146					
147		Roll Mat		Medida 12.80m x 1.83 x 5 cm	1
148	TQ2700/1.03	Ninja Single Bench		60*60*37cm	1
149	TQ2700/1.02	Ninja Single Barrier		122*60*76cm	1
150	TQ2700/1.05	Ninja Octagon		76*63*63cm	1
151	TQ2700/1.06	Ninja Incline			1

152	TQ2700/1.07	Ninja Folding Incline		75*63*61cm	1
153	TQ2700/1.22	Ninja Slanted Steps			1
154	TQ2700/1.08	Ninja Balance Beam		182*37*20cm	1
155	TQ2700/1.09	Ninja Cartwheel Mat		53*33*13cm	1
156	TQ2700/1.11	Ninja Folding Mat		244*124*5cm	1
157	TQ2700/1.13	Ninja Big Mat		200*148*30cm	1
158	TQ2700/1.14 A	Ninja Steping Stone		91*53*63cm Small	1
159	TQ2700/1.14 B	Ninja Steping Stone		100x70*87cm Medium	1
160	TQ2700/1.14 C	Ninja Steping Stone		116x80x89cm Large	1
161		Pacman			1
162	TQ2700/1.16	Ninja Mailbox		82.5*40*50cm	1
163	TQ2700/1.17	Ninja Jump Box		121.5*61*62.5cm	1
164	TQ2700/1.18	Ninja Protection Mat		240*118*10cm	1
165	TQ2700/1.19	Ninja Warrior Wall		208*120*120cm	1
166	TQ2700/1.20	Ninja Warped Wall		182*106*218cm	1
167	TQ2700/1.21	Ninja Table 3 Piece Oesign		122*76*91.5cm	1



168	TQ2700/1.23	Ninja Cylinder		Dia 73*75cm		1
169		Easy Training Bag				1
170		Floor-standing balance beam (Collapsible Design)		thickness 0.2cm, weight 1.6kg. Material: The inner is made of XPE material foamed, and the surface layer is bonded with high-quality fiber leather.		
171		Gymnastics handstand parallel bars (Detachable Design)		Specifications: length 25cm, width 25cm, height 11cm, weight 3kg. Material: The base is made of high-quality beech wood, the inner material of the bar is aluminum alloy, and the outer layer is covered with high-		
172		Gymnastics handstand high bar (Detachable Design)		length 82cm, width 25cm, height 11cm, weight 2kg. Material: The base is made of high-quality beech wood, the inner material of the bar is aluminum alloy, and the outer layer is covered with high-quality maple.		
173		Malla botador alargado 6 metros				
174		Malla botador alargado 9 metros				

**Remarks: Cotizacion Valida Febrero- Abril 2025 Tiempo de entrega 3 meses**

\_\_\_\_\_

\_\_\_\_\_